

**BROEN-LAB  
STABILET® &  
STABILINE®  
HANDS FREE  
WATER FITTINGS**



BROEN-LAB STABILET® & STABILINE® HANDS FREE WATER FITTINGS

BROEN-LAB STABILET® & STABILINE® HANDS FREE WATER FITTINGS

**PREMIUM**

**BROEN-LAB**




STABILET®

*STABILET® and STABILINE® are valves with a unique magnetically operated opening and closing system, especially designed for use in the food industry, health sector or any other location where a high standard of hygiene is required.*

The STABILET® is a thermostatic mixer with a reliable built-in DANFOSS thermostat. The element has a built-in anti-scalding device which automatically shuts off the hot water if the cold water supply is interrupted.

The STABILINE® is for cold, hot or premixed water.



STABILINE®

## SPECIFICATIONS, STABILET® / STABILINE®

**Operating arm:** POM

**Valve housing:** Light grey BROEN POLYCOAT powder coated

**Max. temp. on hot inlet:** 90°C

**Regulating area:** 10-90°C


**Working pressure:** 0.5-10 bar

**Including outlet pipe:** PEX, length 550 mm


Built-in thermostat, safety temp. preset to 38°C

## FLOW CHARTS

STABILET®




STABILINE®



## ORDERING INFORMATION

No. 26100009  
STABILET®




Mounting accessories

No. 3321100-300002  
Straight BALLOFIX® 1/2" F x 3/4" M.




Angle BALLOFIX® for Cu-pipes

No. 26100462  
with 10 mm PIPEFIX®.  
No. 26100472  
with 12 mm PIPEFIX®.  
No. 26100362  
without PIPEFIX®.



No. 26150009  
STABILINE®




Mounting accessories

No. 3321100-300002  
Straight BALLOFIX® 1/2" F x 3/4" M.




Angle BALLOFIX® for Cu-pipes.


No. 26150302  
with 10 mm PIPEFIX®.  
No. 26150312  
with 12 mm PIPEFIX®.  
No. 26150322  
without PIPEFIX®.




No. 26400003\*\*  
No. 26400009\*\*  
Swivel spout.




No. 26401003\*\*  
No. 26401009\*\*  
Basin spout.



No. 26402003\*\*  
No. 26402009\*\*  
High spout.




No. 26403003\*\*  
No. 26403009\*\*  
Wall spout.



## STABITHERM®

**26140009** Thermostatic mixer for water with integral check valves and filters on hot and cold water inlets.

**26140059** Lockable protection cap for STABITHERM® to prevent unauthorized regulation of temperature.



STABITHERM®

For further information, please contact your BROEN-LAB representative.

\* A 1/2" sleeve adaptor is supplied with the spout for alternative connection.

\*\* 003 = Chrome ; 009 = Polyesterbased surface treatment

All measurements in mm.

BROEN-LAB develops, manufactures and sells Laboratory Fittings, Emergency Shower Systems and Eye Wash Systems into a broad spectrum of laboratories and industrial locations; sectors include Pharmaceutical, Food&Beverage and Academia. Our expertise and product quality ensure optimal solutions compliant to all relevant international norms setting new standards in risk mitigation in modern research and development facilities.

BROEN-LAB offer solutions that ensure the functionality, compliance, hygiene, durability and safety are of the highest priority. For over 50 years our products have been integrated into a wide variety of workplaces, laboratories, hospitals and industrial locations, with features that are assessed and designed to be flexible, durable and compliant offering a broad range of options tailored to each location. This inherent design integrity provides confidence in the solution adopted wherever in the world these are applied.

BROEN-LAB is a collaboration partner in the design and layout of your next laboratory and it's integrated safety solutions.

#### HEAD OFFICE

##### **BROEN-LAB A/S**

Drejervænget 2 • DK-5610 Assens  
Tel. +45 6376 6376 • Fax +45 6471 2476  
E-mail: lab@broen-lab.com



#### **BROEN-LAB A/S ISO 9001 certification**

In September 1991 BROEN-LAB A/S was certified according to ISO 9001 as one of the first Danish companies. The certification was carried out by Bureau Veritas, Denmark, for our Danish site in Assens. The quality management system of BROEN-LAB A/S now complies with detailed specifications laid down by the internationally acknowledged EN ISO 9001:2008. This certification will further contribute to reputation for quality and reliability of BROEN-LAB A/S.

#### INTERNATIONAL OFFICES

##### **BROEN-LAB Ltd.**

Tel. +44 121 522 4515 • Fax +44 121 522 4535  
E-mail: lab@broen-lab.com

##### **BROEN-LAB Singapore Pte. Ltd.**

10 Bukit Batok Crescent #10-02 • The Spire • Singapore  
Tel: +65 6298 0662 • Fax: +65 6298 0468  
E-mail: lab@broen-lab.com

##### **BROEN-LAB GmbH**

Tel. +45 6376 6376 • Fax +45 6471 2476  
E-mail: lab@broen-lab.com

##### **BROEN-LAB Sverige AB**

Tel. +45 6376 6376 • Fax +45 6471 2476  
E-mail: lab@broen-lab.com

[www.BROEN-LAB.com](http://www.BROEN-LAB.com)

**BROEN-LAB**