

# TRESPA® TOPLAB® PLUS

# TRESPA® TOPLAB® PLUS ALIGN



FUTURE-PROOFED  
TO INSPIRE  
**WHERE EXCELLENCE  
IS THE STANDARD**

TRESPA®

## Future-proofed to inspire

At Trespa, **innovation is a way of life.** Our long-standing commitment to finding new solutions has sparked such inventions as **Trespa® TopLab® PLUS** and **Trespa® TopLab® PLUS ALIGN**; highly **durable materials**, aimed at taking worktop quality to the next level. Our products are made with a special consideration for the growing demand for a **contemporary colour palette** to shape inspiring workplaces all over the world.



FUTURE  
PROOFED



Trespa® TopLab® PLUS ALIGN T90.0.0 Black  
Trespa® TopLab® VERTICAL K05.5.0 Quartz Grey



## TRESPA® TOPLAB® PLUS

In challenging workplaces, nothing less than excellence is acceptable in terms of hygiene, avoidance of contamination, sustainability, ergonomics and safety. This is even truer for worktops, which need to guarantee consistent reliability under stress each and every day. TRESPA® TopLab® PLUS has been specially engineered to provide durable and high-performing worktops for demanding environments such as chemical, physical and analytical laboratories, where every detail must be the silent ally of the scientist, ensuring peace of mind and aiding concentration.



LABS &  
CLEAN ROOMS



HEALTHCARE



EDUCATION



## Why TRESPA® TOPLAB® PLUS in one glance



24 HOURS  
CHEMICAL  
RESISTANCE

Based on multiple test methods



DOES NOT  
SUPPORT BACTERIAL  
GROWTH

Thanks to our surface  
technology developed in-house



SCRATCH  
& WEAR  
RESISTANCE

Tested with diamond-tip point  
and abrasive paper



IMPACT  
RESISTANCE

Solid and sturdy panels  
for everyday use



EASY  
TO CLEAN

Proven by third-party  
evaluations



SUITABLE  
FOR CONTACT  
WITH FOOD

Tested according  
to international standards



SMOOTH  
MACHINABILITY

Comparable to  
high quality hardwood



QUICK  
INSTALLATION

Using various visible  
or invisible fixing solutions





## Enhanced properties through Electron Beam Curing

Electron Beam Curing, developed in-house by Trespa, represents a major contribution to innovation in the field of scientific surfaces. Using this fast, non-thermal curing method, Trespa® TopLab® PLUS and Trespa® TopLab® PLUS ALIGN decorative surfaces are hardened via high-energy electron emissions at a controlled rate. The resulting closed surface enables unique surface performance, in terms of resistance and colour stability: it encompasses a remarkable range of properties, to serve the needs of the most demanding professional environments.





Trespa® TopLab®<sup>PLUS ALIGN</sup> T05.0.0 Pure White  
Trespa® TopLab®<sup>VERTICAL</sup> K05.0.0 Pure White



## The advantages of Dry Forming

Using the innovative **Dry Forming** process, our in-house developed **production technology** for the **Trespa® TopLab® PLUS ALIGN** core, wood chips and the **new lignin-based thermosetting resin**, are processed together with pigments. Through this combination, 50% of the fossil-based phenol is replaced by a renewable material: a **revolutionary innovation** which allows the **outstanding quality of the core** to be maintained, while ensuring **greater environmental performance**.



Wood chips are unloaded at Trespa



They get washed, sieved and refined



Resin and pigment are added



The impregnated fibres are dried, pressed and cut into sheets



Trespa® TopLab® PLUS ALIGN T05.0.0 Pure White  
Trespa® TopLab® VERTICAL K05.0.0 Pure White



## All the colours of quality

In addition to their physical properties, such as resistance and durability, Trespa® TopLab® PLUS and Trespa® TopLab® PLUS ALIGN come in a choice of colours designed to broaden the spectrum of shades typically linked with the world of science. From the more traditional and neutral colours of Trespa® TopLab® PLUS to the new contemporary shades available with Trespa® TopLab® PLUS ALIGN, designers will find Trespa as dependable as engineers and scientists already do. Furthermore, with the addition of the wide colour range of Trespa® TopLab® VERTICAL, our customers can enjoy a complete solution, encompassing the whole set of surfaces that a contemporary scientific environment needs in order to be both safe and beautiful.



Trespa® TopLab® PLUS ALIGN T05.0.0 Pure White  
Trespa® TopLab® VERTICAL K05.0.0 Pure White


# TRESPA® TOPLAB® PLUS ALIGN

There is no Planet B. TRESPA® TopLab® PLUS ALIGN addresses the issue of environmental care, providing the same high quality standards of TRESPA® TopLab® PLUS with a strong commitment to the use of renewable materials.

By combining the benefits of proprietary technologies such as Electron Beam Curing and Dry Forming with the use of lignin-based adhesive for the core, TRESPA® TopLab® PLUS ALIGN raises the bar of bio-based carbon content by up to 85%, to create durable and resistant worktops aligned with the needs of customers, as well as those of the planet.

Designed with a special consideration for the growing demand for a contemporary colour palette, to shape inspiring workplaces all over the world.

TRESPA® TopLab® PLUS ALIGN has been awarded with the highest OK biobased rating of 4 stars by the world-renowned certification institute TÜV Austria.



UP TO 85%  
BIO-BASED  
CARBON CONTENT



LIGNIN



MINDFUL  
DESIGN



NEWEST  
TECHNOLOGY



PASTEL  
COLOURS





## Innovative by nature

Trespa® TopLab® PLUS ALIGN replaces 50% of phenol included in the core's resins with lignin: a **renewable material** contained in almost all dry-land plant cells, featuring **high strength and rigidity**. A further step towards better **sustainability**, this is another milestone in Trespa's history of game-changing innovations.



# Get inspired by the TRESPA® TOPLAB® colour collection

## TRESPA® TOPLAB® PLUS

UNI COLOURS




FANTASY & SPECKLES



## TRESPA® TOPLAB® PLUS ALIGN

UNI COLOURS



Order your samples now!

		TRESPA® TOPLAB® PLUS		TRESPA® TOPLAB® PLUS ALIGN
<b>SURFACE</b>	EBC technology	•		•
<b>CORE</b>		Black	Grey	Black Align
<b>THICKNESSES</b>	13 mm (≈1/2 inch)	•	•	•
	16 mm (≈5/8 inch)	•		•
	19 mm (≈3/4 inch)		•	
	20 mm (≈3/4 inch)	•		•
	25 mm (≈1 inch)	•	•	
<b>FINISHES</b>	Crystal Matt	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐

\*only available in colour Slate Grey T70.0.0



**SINGLE SIDED DECORATIVE**  
Decorative side with  
non decorative black reverse.



**DOUBLE SIDED DECORATIVE**  
Same colour for front  
and reverse side of the panel.



**DUOCOLOUR**  
Different colour for front  
and reverse side of the panel.



# Top of the Top

Trespa® TopLab® PLUS is the preferred choice of the most demanding customers all over the world. Throughout the years, architects and engineers have partnered with us to turn their ambitious visions into some of the most advanced laboratories of our times: award-winning achievements, which have helped establish Trespa® TopLab® to become a byword for bold and continuous innovation.

- UNITED STATES**
- Princeton University
  - Wisconsin Institute for Discovery
  - ★ MD Anderson Cancer Center, Hospital Laboratories
  - Allen Institute for Brain Science
  - ★ Midwest University, Animal facility
  - Johnson&Johnson, Biosense Webster
  - Buck Institute for Age Research
  - The Chesterfield, Duke University
  - R&D Lab Rancho Santa Margarita
  - Kansas Department Of Transportation
  - Harvard University, Allston Laboratories
  - Broad Institute of MIT and Harvard

- UNITED KINGDOM**
- AstraZeneca Research Centre
  - EMEA-APAC
  - Pfizer Ltd, Laboratories Building 530
  - Novartis
  - ★ Francis Crick Institute
  - Imperial Centre for Translational and Experimental Medicine
  - GlaxoSmithKline, Bioscience Research Park
  - Manchester University
  - Roslin Innovation Centre
  - Unilever

- BELGIUM**
- UZ Leuven, Laboratories Gasthuisberg Campus
  - Procter & Gamble Belgium

- NETHERLANDS**
- Sanquin Bloedbank
  - Radboud University Medical Centre
  - Rosalind Franklin Biotechnology Centre
  - Dutch Forensic Institute
  - Leiden University Medical Centre
  - Exxon Mobil

- GERMANY**
- B.Braun, Avitum Group
  - B.Braun, PNS Melsungen
  - Christian Albrechts University Kiel
  - Diako Mannheim
  - Dr. Oetker
  - Palm Papierfabrik
  - Roche Diagnostics GmbH Mannheim

- SWITZERLAND**
- Novartis

- KUWAIT**
- Kuwait University

- SPAIN**
- Granada University, Faculty of Medicine

- UAE**
- New York University Abu Dhabi

- SINGAPORE**
- Novartis

- SOUTH KOREA**
- ★ CJ Blossom Park
  - Hewlett Packard

- CHINA**
- WuHan CDC (Center for Disease Control and Prevention)
  - Roche RICS Project
  - BASF R&D Center
  - Estee Lauder R&D Center
  - Henkel ICS Project
  - FuDan University

- SAUDI ARABIA**
- ★ King Abdullah University of Science and Technology

- NEW ZEALAND**
- Douglas Pharmaceuticals

- INDIA**
- Atotech Research Centre
  - BASF Green Technology Centre
  - Cairn Energy, Kewaunee Laboratories
  - Huntsman R&D
  - Indian Institute of Science
  - L'Oréal R&D Centre Bangalore
  - SAI Life Science
  - Shell New Technology Centre
  - Syngenta Bioscience

- SOUTH AFRICA**
- Biomedical Research Institute Stellenbosch University

- AUSTRALIA**
- ★ South Australian Health and Medical Research Institute
  - Sciences Teaching Facility B43, University of Wollongong
  - Global Centre for Environmental Remediation, University of Newcastle
  - CSL, Melbourne
  - CSIRO: Commonwealth Scientific and Industrial Research Organisation

★ Lab Of the Year Award Winners (R&D Magazine)



Explore our case studies

# Trespa® TopLab® quality: guaranteed and certified

## 10-YEAR PRODUCT WARRANTY

Our panels are born to last. We want our customers to feel as confident as we are about the durability of the Trespa® TopLab® PLUS range. This is why we offer a 10-year conditional warranty on our product lines. To learn more about our warranty, please visit Trespa.info.



## TESTING, CERTIFICATION AND BRANCH ASSOCIATIONS

Trespa products for scientific surface solutions are tested and certified according to international standards in relation to chemical resistance, low emission, food contact and other properties. Trespa® TopLab® PLUS and TopLab® PLUS ALIGN are certified under the GREENGUARD Gold Certification program and ISEGA Certification program, TopLab® PLUS is certified for certain cleanliness properties by Fraunhofer IPA under the Cleanroom Suitable Materials scheme. Trespa International B.V. is a member of SEFA (Scientific Equipment and Furniture Association), EGNATON (European Association for Sustainable Laboratory Technologies) and VIP3000 (Association for Cleanrooms and Pharmaceutical Construction).



## OUR COMMITMENT TO RENEWABLE RESOURCES

Trespa® TopLab® PLUS and TopLab® PLUS ALIGN are available as part of the Programme for the Endorsement of Forest Certification™ (PEFC™) or Forestry Stewardship Council™ (FSC™) certification upon request for restricted quantities and jurisdictions. The use of FSC™ and PEFC™ certified Trespa panels may also count towards points for green building certification systems such as LEED, BREEAM and DGNB. These certifications are part of the initiatives resulting from Trespa's Sustainability Policy, through which the company shows its commitment to the use of raw materials from sustainable sources and to forest preservation. The Trespa® TopLab® line has been granted an Environmental Product Declaration issued by EPD International AB.



TO  
INSPIRE



## CONTACT US

### TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert  
Wetering 20, 6002 SM Weert  
The Netherlands  
www.trespa.com

### EMEA, APAC, SOUTH AMERICA

Tel: +31 (0) 495 458 856  
Info.TopLab@Trespa.com

### NORTH AMERICA, CANADA

Tel: +1-800-487-3772  
Info.TopLab.NA@Trespa.com

### CHINA

Tel: +86 (0) 21 6288 1299 665  
Info.TopLab.CN@Trespa.com

## VISIT US

### TRESPA DESIGN CENTRE WEERT

Wetering 20  
6002 SM Weert  
The Netherlands  
Tel: +31 (0) 495 458 845  
TDC.Weert@Trespa.com  
www.trespa.com/tdc

### TRESPA DESIGN CENTRE BARCELONA

Calle Ribera 5,  
08003 Barcelona  
Spain  
Tel: +34 (0) 93 295 4193  
TDC.Barcelona@Trespa.com  
www.trespa.com/tdc

### TRESPA DESIGN CENTRE SANTIAGO

Eliodoro Yáñez 2831  
Torre A - Local 1  
Providencia, Santiago  
Chile  
Tel: +56 2 24069990  
TDC.Santiago@Trespa.com  
www.trespa.com/tdc

## FOLLOW US



## DISCLAIMER

### GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colours used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colours of the Trespa products to be supplied. Samples are not intended for use in product tests and are not representative of characteristics of the Trespa

products. Trespa's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Metallic panels feature a surface whose colour appears to change based on the direction from which it is viewed. The specified colour stability and colour specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery programme and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Properties Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

### LIABILITY

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or

related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

### GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (Algemene verkoopvoorwaarden Trespa International B.V.) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on February 20th, 2015 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. A copy of these general conditions of sale will be provided free of

charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

### INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. ® Trespa, Meteon, Pura, Pura NFC, Athlon, Izeon, TopLab, TopLab<sup>PLUS</sup>, TopLab<sup>PLUS</sup> ALIGN, TopLab<sup>ECO</sup>FIBRE, TopLab<sup>VERTICAL</sup>, TopLab<sup>BASE</sup>, Trespa Essentials and Mystic Metallics, Virtuo, Volkern are registered trademarks of Trespa.

### QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.



I4713-432666 • VERSION 2.0  
BROCHURE CODE I4713 • DATE 03-2023

VISIT [TRESPA.COM](http://TRESPA.COM) FOR THE MOST  
UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®